

















Retail Equipment Pricing
Smart Home/Smart Care/Smart Business



Sensors Devices	Sensor/Device Type	Connection	Part Nu.	Description	SP Price
	Viewbiquity Edge Gateway	To Router	VBAPPL-ZW	Maintains connectivity with all sensors/devices/video with Z-Wave Control	\$160.00
	Viewbiquity Commercial Video Streaming Gateway	To Router	C2TVSGAT1	Viewbiquity Video Streaming Gateway for up to 35Mbps encrypted, 70Mbps unencrypted video. Plug and Play Pre programmed device works in concert with VBAPPL-ZW.	\$210.00
	RoomPad	WiFi & AC Power	VBROOMPAD-6	7 inch touchscreen control pad with integrated desktop mount. Includes a power transformer. <i>This part number is sold as a 6 pack.</i>	\$680.00
	RoomPad	WiFi & AC Power	VBROOMPAD-12	7 inch touchscreen control pad with integrated desktop mount. Includes a power transformer. <i>This part number is sold as a 12 pack.</i>	\$1,210.00
	RoomPad	WiFi & AC Power	VBROOMPAD-24	7 inch touchscreen control pad with integrated desktop mount. Includes a power transformer. <i>This part number is sold in a 24 pack.</i>	\$2,320.00
	Smart Thermostat Control	Z-Wave Battery or C-Wire	VBTHER	Smart thermostat control for home heating/cooling systems. <i>Requires two AA batteries not shipped with unit.</i>	\$110.00
	Temperature & Humidity Sensor	Z-Wave Battery	VBTH	Monitors temperature and humidity in a single device	\$60.00
	Garage Door Controller	Z-Wave AC	VBGDC	Z-Wave Garage Door Controller UL 325 Listed. Controller is compatible with most GDO's in the market (manufactured after 1994*). Included is controller unit, tilt sensor and AC power supply.	\$85.00
	Energy Consumption Monitor	Z-Wave Battery	VBENER	Home energy consumption monitor	\$115.00
	Loud Siren and Flashing Red Light	Z-Wave Battery	VBLS	Siren and red flashing light	\$65.00
	Appliance Outlet Control	Z-Wave AC	VBASW	3-prong controller enables the control of lights and appliances. Switch on/off remotely and at switch	\$40.00
	Heavy Duty Outlet Control	Z-Wave AC	VBHDS	In-Line 40 amp 220V heavy-duty switch and electricity consumption monitor.	\$140.00
	Light Dimmer Control	Z-Wave AC	VBLD	3 prong controller for lights and appliances. Dimming/on/off remotely and on/off at switch.	\$43.00
	Outdoor 3 Prong Controller	Z-Wave AC	VB3PRO	Outdoor 3 prong controller for lights and appliances. Switch on/off remotely and at switch	\$58.00
	Z Wave Repeater	Z-Wave AC	VB RPT	Low Voltage Repeater with 5V power adapter.	\$47.00










Sensors Devices	Sensor/Device Type	Connection	Part Nu.	Description	SP Price
	Motion Detection III Indoors	Z-Wave Battery	VBMD3	Detects motion in a designated area, has a built in temperature sensor and 2X the battery life of previous devices. Indoor usage.	\$60.00
 Front View	Motion Detection External	Wired	VBMDEXT1	A motion detector utilizing a single passive infra-red element and Microwave technology and is designed for outdoor use in the most severe climatic conditions. It can also accommodate pets with the addition of optional pet immunity lenses. High reliability is achieved by combining both dual tech hardware with highly sophisticated software, greatly reducing the possibility of false alarms. Requires dry contact ref VBDW3 and transformer ACC-730.	\$120.00
 Front View	Motion Detection External Dual Sensors	Wired	VBMDEXT2	A motion detector utilizing dual passive infra-red elements and Microwave technology and is designed for outdoor use in the most severe climatic conditions. It can also accommodate pets. Reliability is achieved by combining both dual tech hardware with sophisticated software and an adaptive coverage area, greatly reducing the possibility of false alarms. The active elements are comprised of a dual element PIR and advanced Microwave detector inside a stylish, rigid plastic body. Requires dry contact ref VBDW3 and transformer ACC-730.	\$160.00
	Bracket for Motion Detection External Only	Mounted	VBMDEXTBKT	Bracket for External Motion Detector (VBMDEXT1) for external use.	\$25.00
	Lens for VBMDEXT1 Only	Attached	VBMDEXTLEN	Corridor Lens for the VBMDEXT1	\$46.00
	Motion Detection External Kit	Wired	VBMDEXT1KIT	Single external motion detector KIT to allow longer wire runs. Kit includes VBMDEXT1 External Single Motion Detection, VBDW3 Door/Window External Sensor and VBREM relay extension module for converting wired relay to wireless.	\$195.00
	Motion Detection External Kit Dual Sensors	Wired	VBMDEXT2KIT	Dual external motion detector KIT to allow longer wire runs. Kit includes VBMDEXT2 External Dual Motion Detection, VBDW3 Door/Window External Sensor and VBREM relay extension module for converting wired relay to wireless.	\$255.00
	Wireless Converter	Wired	VBREM	Viewbiquity relay extension module for converting wired relay to wireless with extended wire runs (short wire runs can just use the VBDW3)	\$80.00
	Glass Detector	Wired 12VDC	C2TGBCW	Glass break detector, ceiling and wall mounted, 12VDC, Form C contact. Require a VBDW3.	\$55.00
	Door/Window External Sensor	Z-Wave Battery	VBDW3	Monitors opening and closing of doors and windows, additionally includes contact closure connection. <i>Used as both a contact and a door window sensor simultaneously. Flexible - magnet can be up to 3/4" from the base so it can be used with many more door types.</i>	\$45.00
	Flood Water Detection	Z-Wave Battery	VBWS	Detects water in areas of concerns. Can be configured to detect the lack of water.	\$60.00
	Power Loss Sensor	Z-Wave Battery	VBPLS	Power loss sensor.	\$85.00
	Key Chain Buttons	Z-Wave Battery	VBKCB2	Keychain buttons for activation of various sensors, 4 button key fob.	\$85.00





Sensors Devices	Sensor/Device Type	Connection	Part Nu.	Description	SP Price
	Biosign Pulsewave Monitor	USB + PC	VB-BIOPW	FDA certified coupling device that measures blood pressure, heartbeat, breathing rate and other important vital signs.	\$155.00
	Alert Pendant	Z-Wave Battery	VBHCPEN	Alert pendant for activating a notification within the consumer's premises Not intended for life threatening situations and subject to range of the gateway and extender devices. Single button pendant, shipped with lanyard.	\$60.00
	Smoke and Carbon Monoxide Detector	Z-Wave Battery	VBZCOMBO	First Alert Battery-Operated Carbon Monoxide Alarm and Smoke Detector	\$60.00
	Wall Dimmer Switch	Z-Wave AC	VBDM500	Wireless Z-Wave wall dimmer switch, Z-Wave and manual control for connected lights, 500 watt (4 amp) maximum load, fits in standard J-box, Decorator wall plate included, Auto Sense allows for local lamp activation independent of the Z Wave controller status, replaceable trim ring (color kits) available, white	\$40.00
	Z-Wave Wall Dimmer Switch (1000W)	Z-Wave AC	VBDM1000	Wireless Z-Wave wall dimmer switch, Z-Wave and manual control for connected lights, 1000 watt (8 amp) maximum load, fits in standard J-box, Decorator wall plate included, Auto Sense allows for local lamp activation independent of the Z Wave controller status, replaceable trim ring (color kits) available, white, brown or black.	\$50.00
	Z-Wave Wall Switch	Z-Wave AC	VBWLS	Wireless Z-Wave wall switch, Z-Wave and manual control for connected lights, 960 watt (8 amp) maximum incandescent load, 1800 watt (15 amp) maximum resistive load, for dual switch "3-way" applications, fits in standard J-box, Decorator wall plate included, replaceable trim ring (color kits) available, white, brown or black.	\$40.00
	3-Way Wall Accessory Switch	Z-Wave AC	VB3WLS	Wireless Z-Wave 3-way wall dimmer, Z-Wave and manual control for connected lights, for dual-switch "3-way" applications, creates virtual 3-way switch without need for a traveler wire, will control up to 5 different devices, requires installation of other Linear Zwave switches or outlets, fits in standard J-box, Decorator wall plate replaceable trim ring (color kits) available, white	\$40.00
	Single Wall Outlet	Z-Wave AC	VBSWO	Wireless Z-Wave wall outlet, top outlet is standard pass through and the bottom outlet is Z-Wave controlled, one constant 15 amp 120 VAC outlet, one Z-Wave controlled 120 VAC outlet rated 1800 watt (15 amp) maximum resistive load, fits in standard J-box, Decorator wall plate included, white, brown or black.	\$40.00
	VBDM Trim Kit	Z-Wave AC	VBDMTKAL VBDMTKKBK VBDMTKBR	WD (Dimmer Switch) 4-piece Trim Kit, available in Almond, Black and Brown. Includes frame, paddle switch and two screws.	\$7.00
	VBWLS Trim Kit	Z-Wave AC	VBWLSTKAL VBWLSTKKBK VBWLSTKBR	WT/WS (Standard, 3-Way Switch) 4-piece Trim Kit, available in Almond, Black and Brown. Includes frame, paddle switch and two screws.	\$7.00
	Alarm Panel Connection	Wired + USB	VBMODVISTA	Alarm Connectivity for Dry Contacts, Gateway and Alerts. Compatible with many Honeywell Vista systems.	\$100.00
	Alarm Panel Connection	Wired + USB	VBMODDSC	USB Viewbiquity DSC panel USB integration module.	\$80.00
	Alarm Connect	Z-Wave Battery	VBUSBSERIAL	USB to serial cable for Viewbiquity DSC panel USB integration module	\$14.00
	Alarm Connect	Z-Wave Battery	VBUSB485	USB to RS485 cable.	\$62.00

Sensors Devices	Sensor/Device Type	Connection	Part Nu.	Description	SP Price
	Touch Screen Lock	Z-Wave Battery	VBTSDB-SF VBTSDB-BZ VBTSDB-BA	Yale Touchscreen DEADBOLT Lock Color order: BZ-bronze, BA-brass, SF-satin finish	\$240.00
	Push button lock	Z-Wave Battery	VBPBDB-SF VBPBDB-BZ VBPBDB-BA	Yale Push Button DEADBOLT Lock Color order: BZ-bronze, BA-brass, SF-satin finish	\$215.00
	Touchscreen Lever Lock	Z-Wave Battery	VBTSLL-SF VBTSLL-BZ VBTSLL-BA	Yale Touchscreen Lever Lock Color order: BZ-bronze, BA-brass, SF-satin finish	\$265.00
	Push Button Lever Lock	Z-Wave Battery	VBPBLL-SF VBPBLL-BZ VBPBLL-BA	Yale Push Button Lever Lock Color order: BZ-bronze, BA-brass, SF-satin finish	\$235.00
	IP Reader/Controller with POE, No Keypad	POE	C2TACREADER	IP Reader/Controller without a keypad. ** A monthly recurring charge of \$2.00 per reader per month is associated with this item ** Must order 1 each C2TACDW per reader **	\$585.00
	IP Reader/Controller with POE, With Keypad	POE	C2TACREADERKEY	IP Reader/Controller with a keypad ** A monthly recurring charge of \$2.00 per reader per month is associated with this item ** Must order 1 each C2TACDW per reader **	\$680.00
	Door Sensor	Hard Wired	C2TACDW	Door Sensor (One Required per reader)	\$15.00
	4' Power I/O Pigtail	N/A	C2TACCABLE4	C2T Access Readerboard 4' Power I/O Pigtail	\$22.00
	10' Power I/O Pigtail	N/A	C2TACCABLE10	C2T Access Readerboard 10' Power I/O Pigtail	\$32.00
	25' Power I/O Pigtail	N/A	C2TACCABLE25	C2T Access Readerboard 25' Power I/O Pigtail	\$46.00
	Trim Kit	N/A	C2TACCTK2	C2T Access Readerboard Mounts onto a single gang electrical rough-in box	\$30.00
	External Door Kit	N/A	C2TACCEDK	C2T Access Readerboard External Door Kit	\$50.00
	In-rush Suppressor	N/A	C2TACCIRS	C2T Access Readerboard For use with magnetic locks	\$30.00
	Secondary Relay Module	N/A	C2TACC SRM2	C2T Access Readerboard 1 input / 2 output	\$25.00
	Secondary Relay Module	N/A	C2TACC SRM4	C2T Access Readerboard 1 input / 4 output	\$35.00
	Wiegand Interface Module	N/A	C2TACCWIM	Wiegand Interface Module	\$45.00

Sensors Devices	Sensor/Device Type	Connection	Part Nu.	Description	SP Price
	Desk Stand	POE	VBACCSTAND	Desk stand/mount for C2TACREADERKEY or C2TACREADER to make enrollment, setup and training easier.	\$32.00
	Clamshell Card	N/A	C2TACCLC	Stronger than Thin Card with pre-punched hole for neck lanyard	\$6.00
	Thin Card	N/A	VBACCTC	Size of standard credit card	\$6.00
	Key Fob	N/A	C2TACKCF	Key fob that easily attaches to a key ring	\$6.00
	Cap Tags	N/A	C2TACCCT	Small cap tag with adhesive backing	\$5.00
	Electric Door Strike Mounting Options	Mounted	C2TACT410032D	One Box Solution for Cylindrical and Mortise Locks without Deadbolt, Includes 4 Faceplates, Trimskirt and Strike, 12/24V, Stainless Steel Finish (Optional Finishes Available for Special Order)	\$285.00
	Electric Door Strike Mounting Options	Mounted	C2TACT420032D	One Box Solution for Cylindrical and Deadlatches, Includes 4 Faceplates, Trimskirt and Strike, 12/24V, Stainless Steel Finish (Optional Finishes Available for Special Order)	\$120.00
	Electric Door Strike Mounting Options	Mounted	C2TACT4850P32D	One Box Solution for RIM Panic Exit Devices, Surface Mounted, Includes 2 Spacers for up to 1" Throw, 12VDC, Stainless Steel Finish (Optional Finishes Available for Special Order)	\$285.00
	Electric Door Strike Mounting Options	Mounted	C2TACT4850LB32D	One Box Solution for RIM Panic Exit Devices with Latch Bolt Monitoring, Surface Mounted, Includes 2 Spacers for up to 1" Throw, 12VDC, Stainless Steel Finish (Optional Finishes Available for Special Order)	\$335.00
	Electric Door Strike Mounting Options	Mounted	C2TACTEN400CMRP32D	Outdoor Rated Electric Strike for Use With Mortise Exit Devices, Mortise Locks Without Deadbolts and Cylindrical Locksets with up to 7/8" Throw, Perfect for Exterior Doors and Gates, Stainless Steel Finish (Optional Finishes Available for Special Order)	\$295.00
	Electric Door Strike Mounting Options	Mounted	C2TACT3012KIT	One Box Solution for ANSI Cylindrical Locks, Kit Includes 2 Faceplates, Small Strike and Faceplate Footprint, 12/24V	\$115.00
	Maglock	Mounted	C2TACR8310	Maglock, Up to 1500lb Holding Force	\$255.00
	Maglock	Mounted	C2TACR8310DSSC	Maglock with Door Status Sensor and Security Condition Sensor with LED, Up to 1500lb Holding Force	\$340.00
	Maglock	Mounted	C2TACR8380	GateMag, Weather Resistant, Up to 1500lb Holding Force, Built-in Conduit Fitting, Perfect for Gates, Cages, Fences	\$255.00
	Maglock	Mounted	C2TACR8320	Double Maglock, Up to 1500lb Holding Force per Lock	\$490.00

Sensors Devices	Sensor/Device Type	Connection	Part Nu.	Description	SP Price	
	Request to Exit	Mounted	C2TACR908TD	Push to Exit Button with Electronic Time Delay (DPDT)	\$95.00	
	Request to Exit	Mounted	C2TACB150	Request to Exit Motion PIR	\$90.00	
	IPBridge-2	Wired	C2TACIPBRIDGE2	IPBridge 2 door model controlling up to 1 IP and 2 Wiegand devices	\$720.00	
	IPBridge-3	Wired	C2TACIPBRIDGE3	IPBridge 3 door model controlling up to 1 IP and 3 Wiegand devices	\$1,010.00	
No Image Available	IP Bridge Cables	Wired	C2TACIPBNET3IN	3 inch network cable with "2" connectors for daisy chaining IPbridge's network connection from one to the next	\$6.00	
No Image Available	IP Bridge Cables	Wired	C2TACIPBPWR1	3 foot power cable with "1" connector for connecting external power to the first IPBridge	\$9.50	
No Image Available	IP Bridge Cables	Wired	C2TACIPBPWR2	3 inch DC power cable with "2" connectors for daisy chaining IPbridge's external power from one to the next	\$8.00	
	Small Bin Monitoring	AC-Modbus	VBBINTS1	Small bin monitoring for bins less than 60 feet tall. Price is estimated, actual price will be quoted.	Call for pricing	
	Large Bin Monitoring	AC-Modbus	VBBINSB2	Large bin monitoring for bins more than 60 feet tall or more rugged environments. Price is estimated, actual price will be quoted.	Call for pricing	
	Grain Bin Monitoring	Wired	VBGBSITEKIT	SITE COORDINATOR KIT	Call for pricing	
	Grain Bin Monitoring	Wired	VBGBCTRLKIT	BIN CONTROLLER KIT	Call for pricing	
No Image Available	Fan Kit	Wired	VBGBMFCKSP	Motor fan control KIT single phase	Call for pricing	Replacement for VBGBAFK
No Image Available	Grain Bin Monitoring	Wired	VBGBTPK	Three phase motor and fan kit.	Call for pricing	Replacement for VBGB3PHSE
No Image Available	Grain Bin Monitoring	Wired	VBGBSPS	Grain Bin static pressure sensor.	Call for pricing	
No Image Available	Grain Bin Monitoring	Wired	VBGSRAKS	Remote antenna kit 40'.	Call for pricing	
No Image Available	Grain Bin Monitoring	Wired	VBGSRAKL	Remote antenna kit 80'.	Call for pricing	

Sensors Devices	Sensor/Device Type	Connection	Part Nu.	Description	SP Price
	Grain Bin Monitoring	Wired	VBOTCBLxx	DIGITAL TEMPERATURE CABLE KIT W/SENSORS every 4 feet. <i>XX =cable length. Call your C2T sales rep for pricing.</i>	Call for pricing
	Head End Liquid Level Sensor Installation Kit	Wired	VBFLSMASER	Casing for enclosure of fuel probe and attachment into the tank from the top. Designed to replace the fuel entry already present. Will support up to six (6) Slaves. Must order a probe, P2P (X2) + 1 VBNEMABOX, and VBUSB485 (USB TO 485 Adapter).	Call for pricing
	Head End Liquid Level Sensor Installation Kit	Wired	VBRFMASTER	Gasoline Casing for enclosure of fuel probe and attachment into the tank from the top. Designed to replace the fuel entry already present. Will support up to six (6) Slaves. Must order a probe, P2P (X2) + 1 VBNEMABOX, and VBUSB485 (USB TO 485 Adapter). Class 1 Division 1 Codes. Comes in two parts, requires cable run to remote transmitting unit.	Call for pricing
	Slave Liquid Level Sensor Installation Kit	Wired	VBFLSSLAVE	Casing for enclosure of fuel probe and attachment into the tank from the top. Designed to replace the fuel entry already present. Must order a probe.	Call for pricing
	Liquid Level Probe	Wired	VBFLS2	Level sensor with integrated Modbus and 2 meter cable, for measuring the level in tanks storing any liquids.	Call for pricing
	Liquid Level Probe	Wired	VBFLS4	Level sensor with integrated Modbus and 4 meter cable, for measuring the level in tanks storing any liquids.	Call for pricing
	Liquid Level Probe	Wired	VBFLS6	Level sensor with integrated Modbus and 6 meter cable, for measuring the level in tanks storing any liquids.	Call for pricing
	Liquid Level Probe	Wired	VBFLS9	Level sensor with integrated Modbus and 9 meter cable, for measuring the level in tanks storing any liquids.	Call for pricing
	Point to Point wireless communications	Non licensing wireless	VBWIRELESS1500	Point to Point wireless radio for up to 1500' line of site. Includes power transformer. <i>Housing not included, order VBNEMABOX.</i>	Call for pricing
	Nema Weatherproof Box	Mounted	VBNEMABOX	Waterproof NEMA Electrical Enclosures. Polycarbonate UL94V-0 UL Listed to UL508A IP68 and NEMA 1, 2, 3, 3R, 4, 4X, 5, 6, 6P, 12 & 13 Solid gray Internal aluminum mounting panel kit with screws.	Call for pricing
	FNS Station	Wired	VBFNOS1	Field Node Sensor (FNS) Station	Call for pricing
	FNS Configuration	Wired	VBCONO1	Standard FNS Configuration	Call for pricing
	FNS Warranty	Wired	VBWARO1	2YR Extended Warranty - FNS	Call for pricing
	FNS Lite	Wired	VBWDO1	Field Node Sensor (FNS) "Lite"	Call for pricing
	FNS Lite Configuration	Wired	VBCONO2	Standard FNS Lite Configuration	Call for pricing

Sensors Devices	Sensor/Device Type	Connection	Part Nu.	Description	SP Price
	Lite Warranty	Wired	VBWAR02	2YR Extended Warranty - FNS Lite	Call for pricing
	Mobile App	Wired	VBIO501	Mobile app (Apple iOS)	Call for pricing
	Mobile App	Wired	VBAND01	Mobile app (Android)	Call for pricing
	AgSmarts Cloud	Wired	VBAF001	AgSmarts Farm Cloud - (Basic)	Call for pricing
	Sensor	Wired	VBMS06	Soil Moisture Sensors - 6'	Call for pricing
	Sensor	Wired	VBST05	Soil Temperature Sensor - 5'	Call for pricing
	Sensor	Wired	VBAT05	Ambient Temperature Sensor - 5'	Call for pricing
	Extender	Wired	VBRE01	Bluetooth Range Extender	Call for pricing
	Modem	Wired	VBGPR01	GPRS Modem	Call for pricing
	FNS Cellular Pkg	Wired	VBDA001	Annual Cellular Data Package -1 FNS	Call for pricing
	Home/Seasonal Automation Package	Z-Wave	VBHAPKG	Home/Seasonal Automation Package consists of: Motion/Temperature Sensor VBMD3, Appliance/Lamp control sensor VBASW	\$230.00
	Home Security Automation Package	Z-Wave	VBHSPKG	Home Security Automation Package consists of: Residential IP Wireless Camera VBQIPCAM, Motion/Temperature VBMD3, Door/Window Sensor (qty. 2) VBDW3	\$395.00
	Thermostat Control Package	Z-Wave	VBTHERPKG	Thermostat Control Package consists of: Smart Thermostat VBOTHER, Appliance/Lamp control sensor VBASW.	\$270.00
	Senior & Home Care Package	Z-Wave	VBSCP001	Senior & Home Care Package consists of: Motion/Temperature sensor VBMD3, Medical Alert Pendant VBHCPEN.	\$240.00
 Vital Sign Monitoring	Smart Care Pulsewave Package	Z-Wave	VBSCPULPKG	Smart Care Pulsewave Package consists of: Motion/Temperature sensor VBMD3.	\$320.00
	Garage Door Automation Package	Z-Wave	VBGARPKG	Smart Garage Door Package consists of: Viewbiquity Edge Gateway VBAPPL-ZW, Extended repeater VBRPT, UL Approved Garage Door Closer VBGDC.	\$260.00

Sensors Devices	Sensor/Device Type	Connection	Part Nu.	Description	SP Price
	Quality IP Camera	CAT5 PoE or 12V	C2TR1720MD	1280x720, H.264 High Profile, WIFI, Indoor Camera with PIR and Bandwidth Optimization.	\$125.00
	IP Commercial Camera Dome	CAT5 PoE or 12V	C2TA71080IPOE	Full HD Vandal Proof Mini Dome IP Camera, 1080P, up to 1920x1080, 30fps, True Day Night with 1 Super Flux LED (6m Range), Full Duplex Audio, Mini SD, 3.6mm Fixed Lens, 12VDC or POE, ONVIF Compliant, 2 Year Warranty	\$240.00
	IP Commercial Camera Dome	CAT5 PoE or 12V	C2TA521080IPOE	Full HD Vandal Proof Dome IP Camera with Infrared, 1080P, up to 1920x1080, H.264, 30 fps, Digital Clarity CMOS with Removable ICR True Day Night, 1 Channel Alarm Input/Output, 10/100 Base-T (RJ-45), Full Duplex Audio, Mini SD, Lens 2.8mm-10mm Vari-Focal Mega Pixel Lens, IR Distance 10-15M (12pcs IR LED), 12VDC or POE, ONVIF Compliant, 2 Year Warranty	\$460.00
	IP Commercial Camera Bullet	CAT5 PoE or 12V	C2TBC4720IPOE	Mini Bullet IP Camera with Infrared, 720P, 1280x720, H.264, 30 fps, True Day Night with 2 Super Flux LED (15M Range), 3.6mm Fixed Lens, 3 Axis Cable Through Bracket, 12VDC or POE, ONVIF Compliant, 2 Year Warranty	\$185.00
	IP Commercial Camera PTZ	CAT5 PoE or 12V	C2TPTZ13MPIP	HD 1.3 Megapixel IP Outdoor PTZ Camera, up to 1280x960, H.264, 1/3" Low Light Progressive Scan Megapixel CCD, 1 Channel Alarm Input/Output, 10/100 Base-T (RJ-45), Full Duplex Audio, Mini SD, Includes Heater/Blower Housing, 24VAC Included, ONVIF Compliant, 1 Year Warranty	\$1,420.00
	A7 Wedge Bracket	Mounted	C2TA7WEDGE	Wedge bracket for C2TA7 solutions. Places camera at 10 degree angle. Wall & Ceiling Installations. INDOOR INSTALLATION ONLY	\$25.00
	A5 Mounting Option	Mounted	C2TA5WALL	Outdoor Wall Mount for C2TA5 Series Dome Cameras. Discreet Wire Pass-Through	\$66.00
	A5 Mounting Option	Mounted	C2TA5PEB	Ceiling Pendant Mount for C2TA5 Series Dome Cameras	\$52.00
	A5 Mounting Option	Mounted	C2TA5PEC	Ceiling Pendant Cap Only for C2TA5 Series Dome Cameras - Uses Standard 1/2" Thread Pipe for Custom Lengths of Conduit	\$21.00
	A5 Mounting Option	Mounted	C2TA5OCM	Outdoor Corner Mount for C2TA5 Series Dome Cameras (Requires C2TA5WALL Mount)	\$30.00
	A5 Mounting Option	Mounted	C2TA5POB	Pole Mount for C2TA5 Series Dome Cameras (Requires C2TA5WALL Mount)	\$32.00
	A5 Mounting Option	Mounted	C2TA5BACKBOX	C2TA5 Universal Gang Box for A5 and A6 Cameras and Mounts. Dual Side and Single Rear Conduit Entry. IP66	\$27.00
	A5 Mounting Option	Mounted	C2TA5ADPT	C2TA5 Adapter Plate for Gang Box	\$15.00